





Yläpuolelta saranoidut ikkunat:





C20

STROKE	MAX WEIGHT	MAX POWER
240 mm	118 kg	300 N
360 mm	79 kg	300 N

C30

STROKE	MAX WEIGHT	MAX POWER
200 mm	142 kg	300 N
380 mm	75 kg	300 N

C40

STROKE	MAX WEIGHT	MAX POWER
100 mm	378 kg	400 N
150 mm	252 kg	400 N
200 mm	189 kg	400 N
250 mm	151 kg	400 N
300 mm	126 kg	400 N
400 mm	94 kg	400 N
500 mm	76 kg	400 N

C60

STROKE	MAX WEIGHT	MAX POWER
510 mm	56 kg	300 N

C160

STROKE	MAX WEIGHT	MAX POWER
510 mm	56 kg	300 N

C160 RWA

STROKE	MAX WEIGHT	MAX POWER
510 mm	56 kg	300 N

ACK4

STROKE	MAX WEIGHT	MAX POWER
100 mm	283 kg	300 N
150 mm	189 kg	300 N
200 mm	142 kg	300 N
250 mm	113 kg	300 N
300 mm	94 kg	300 N

ACK4 RWA

STROKE	MAX WEIGHT	MAX POWER
100 mm	283 kg	300 N
150 mm	189 kg	300 N
200 mm	142 kg	300 N
250 mm	113 kg	300 N
300 mm	94 kg	300 N

T50

STROKE	MAX WEIGHT	MAX POWER
150 mm	315 kg	500 N
200 mm	236 kg	500 N
250 mm	189 kg	500 N
320 mm	147 kg	500 N

400 mm	118 kg	500 N
450 mm	105 kg	500 N
500 mm	94 kg	500 N
560 mm	84 kg	500 N

T50S

SYNC

STROKE	MAX WEIGHT	MAX POWER
150 mm	629 kg	1000 N
200 mm	472 kg	1000 N
250 mm	378 kg	1000 N
320 mm	295 kg	1000 N
400 mm	236 kg	1000 N
450 mm	210 kg	1000 N
500 mm	189 kg	1000 N
560 mm	169 kg	1000 N